

CRUISING ALMANAC 2021

CUMULATIVE CORRECTIONS ISSUE 13.0

Cut-off date 31 August 2021

The Cruising Association, its officers, members, the editor and individual authors make no warranty as to the accuracy or reliability of any information contained in this publication and accept no liability for any loss, injury or damage occasioned to any person acting or refraining from action as a result of the use of such information or any decision made or action taken in reliance or partial reliance on it save that nothing contained in this publication in any way limits or excludes liability for negligence causing death or personal injury or for anything which may not legally be excluded or limited. No national hydrographic office, or local harbour authority has verified the information in these corrections and none accept liability for the accuracy of reproduction or any modifications made thereafter therefore **this product should not be used for navigation.** New or amended Notices since the last Issue will be highlighted thus. Please report any errors or omissions to almanac@theca.org.uk.

Covid-19

The Covid-19 crisis has prohibited or restricted cruising in many countries. For the latest information please visit:

https://www.theca.org.uk/public/covid_19_cruising_restrictions

General Information

pp13 & 14 **BREXIT, EFFECTS OF BREXIT, CUSTOMS and PETS FROM ABROAD**
Replace these paragraphs by new May text **CUSTOMS AND IMMIGRATION** for which [click here](#).

Delete the Link in the Corrections Issue 9.0 *Ed*

p16 **FIRST AID** Col 2, final sentence. Delete "This is available as a free download." and substitute "This may be purchased as a hardback or downloadable pdf." *Ed*

p18 **DENMARK**
Danmarks Radio 243kHz: Insert Additional time 1143 *RE*

p19 **FRANCE**
Amend last box to read
Anse de l'Aiguillon Chassiron 63 Every 20 mins
to the Spanish Frontier Cap-Ferret 63 Every 20 mins
(Etel)

p19 **SPAIN**
Amend first table to read

Station	VHF	Times
Bilbao	10, 74	0433 0833 1033 2233
Santander	72	0500, 1100, 1500, 2100
Gijón	10	0900 2100
A Coruña	10	0005, 0405, 0805, 1605, 2005
Finisterre	11	4-hourly from 0233
Vigo	10	4-hourly from 0015
Cádiz	15	4-hourly from 0315
Tarifa	10	Even hours +0015
Huelva	10	0815, 1215, 2015
Algeciras	74	0515, 1515, 2315

p19 **SPAIN**
Amend final line of second table to read
Tarifa 83 0200, 1115, 1633

England South Coast

p24 **ENGLAND SOUTH COAST**, Upper Plan
Amend symbol **Channel** in 49° 54'.46N., 002° 53'.74W
from Lt Vessel to RW vert stripe buoy with R spherical
topmark. *TH12/2021*

p27 **ISLES OF SCILLY St Mary's**
Insert unlit Special buoy in 49° 54'.70N., 6° 18'.90W.
NM2131/21

p31 **ST MICHAEL'S MOUNT/ MARAZION**, Plan
Amend background colour of 2M depth to a pale colour in
50° 06'.98N, 5° 28'.98W *RE*

p34 **FALMOUTH**, Plan
Insert legend, **ENTRY RESTRICTED** centred on:
50° 09'.32N., 5° 03'.13W *NM93/21*

p37 **PLYMOUYH SOUND**, Plan
Delete legend "Bovisand Pier" in 50° 20'.3 N, 4° 50'.3 W.
RE

p38 **MILLBAY**, Plan
Insert legend, "Small Craft Anchorage in 50deg 21.77min N,
4deg 08.77W *RE*

p38 **MILLBAY**, Text
col 1: Anchorage Off W Hoe.
Delete "No longer sea bed." *RE*

p39 **HAMOAZE**, Plan
Amend "Sound Acre Pt" to "Sandacre Pt" in
50° 23'.6 N, 4° 13'.5 W *RE*

p40 **Text Col 1**

Delete the five lines "Navigation charts." *RE*

p48 **RIVER EXE**, Plan

Insert E card buoy *Q(3)10s* 50° 36′.87N., 3° 26′.51W.
NM1128/21

Move buoys No4 No5 and No6 to the following positions:

No.4 R buoy 50° 36.186N, 3° 23.996W.

No.5 G buoy 50° 36.306N, 3° 23.958W.

No.6 Red buoy 50° 36.291N, 3° 24.024W. *ExeterNM12/21*

Insert G buoy named **Hinton** Fl (2) G 5s in 50° 36′.99N
3° 26′.29W. *ExeterNM19/21*

p 50 **PORTLAND HARBOUR**, Plan

Delete Tr in 50° 36′.65N 2° 26′.78W and associated (R Lts)
RE

p50 **WEYMOUTH HARBOUR**, Plan

Delete Tr in 50° 36′.65N 2° 26′.78W and associated legend
'Sealife Tr (53) R lts'. *RE*

p50 **WEYMOUTH**, Text

Approach. Delete 'From . . . at the top' *RE*

p53 **STUDLAND BAY AND POOLE APPROACHES**,

Plan:

Delete lit S card buoy **South Hook** in 50° 39′.61N.,
1° 55′.20W. *NM1308/21*
[Click here](#) for updated plan. *Imray*

p53 **POOLE HARBOUR**. Test

Approach Delete "From the E, . . . rise of tide. "

Insert "From the E, pass between the G buoy *Bar Buoy*
No1 and R buoy No2. Beware of past moving commercial
traffic.

Entrance, colt 4 line 9 Amend "Outer end . . .EL2 buoys."
to "East side of Hook Sand is marked by R buoys EL2 and
EL4"

p54 **POOLE TO CHICHESTER**, Passage Lights

With effect from 17th Sept 2021 amend **St Catherine's** Lt
Ho nominal range to 18nm. *TH 11/2021*

p56 **CHRISTCHURCH**, Text

Tel Harbour Authority: **Amend** "Christchurch . . . 486 321"
to "Bournemouth Christchurch and Poole Council. Tel
01202 123800"

Insert " VHF 8 Marine Patrol Service: *Mike Pappa* " *Ed*

p56 **NEEDLES CHANNEL**, Plan

Insert depth, 0.6, enclosed by 2m contour, and extend 5m
contour W to enclose in 50° 41′.81N., 1° 35′.63W.
NM2055/21

p63 **SOUTHAMPTON WATER**, Plan

Insert AIS, at chimney in 50° 49′.06N., 1° 19′.75W.
NM1394/21

p69 **LANGSTONE HARBOUR**, Plan

Move R buoy *VQ.R*, from: 50° 48′.75N., 1° 01′.84W.
to: 50° 48′.69N., 1° 01′.82W.

Move R buoy *FL.R.4s*, from: 50° 49′.09N., 1° 02′.12W
to 50° 48′.99N., 1° 02′.07W.

Delete unlit bn in 50° 48′.21N., 1° 01′.86W. *NM331/21*

p72 **CHICHESTER HARBOUR (EAST)**, Plan

Move unlit G buoy from: 50° 47′.42N., 0° 54′.70W.
to: 50° 47′.43N., 0° 54′.65W *NM6291/20*

p73 **LITTLEHAMPTON** Plan

Insert Light Q.R in 50° 48′.448N., 0° 32′.784W
NM5909/20

p74 **BRIGHTON**, Plan

Delete R can buoy Fl(5)R.10s in 50° 48′.59N., 0° 06′.45W.
NM191/21

p76 **DOVER**, Text

In first bulleted paragraph amend "late 2021" to "spring
2022".

Entrance at end of second paragraph, insert:-

"Visitors must contact the marina office before their planned
trip to ensure entry on 01304 241 663 or email
marina@doverport.co.uk ."

Amend the **Berthing** paragraph to:-

Berthing in Granville Dock through gate open HW -0350 to
+0450.

Tidal harbour access 24/7 but very limited berthing.

To enter these, pass south of the Prince of Wales pier and
when instructed enter the **one-way** Wick Channel. Keep in
this channel until Ldg Lt F 324°-333° opens, especially near
LW.

If instructed to enter the Wellington dock, which may be
suitable for a long stay, pass though the new marina to the
lock gate and road bridge. At the time of writing opening
times had not been fixed.

Amend the **Anchoring** paragraph to:

Anchoring no longer permitted, unless instructed by the
Harbour Master.

p77 **DOVER HARBOUR**, Plan

Amend light to, VQ.14m4M in 51° 06′.85N., 1° 19′.38E
NM5197/20

Insert light 2F.R(vert) on ESE end of marina pier in
51° 07′.093N., 1° 19′.239E. *NM622/21*

England East Coast

p83 **THAMES ESTUARY PASSAGE**, Plan

Insert R can buoy *FL.R.5s* in 51° 24′.58N., 1° 26′.12E.
NM800/21

Amend fog signal on **S Knock** light buoy to, *Bell*, in
51° 34′.14N., 1° 34′.29E. *NM2229/21*

p91 **RIVER CROUCH, COLNE, AND BLACKWATER APPROCHES**

Swallowtail 1 Y It buoy has been moved from 51° 41′.38N
to 51°41′40N., 01°07′.50E, characteristics unchanged.

Delete lt buoy **Swallowtail No 2** in 51°41′.18N., 1°06′30E
Swallowtail No 3 lt buoy in 51°40′.84N., 1°04′.39E has
been renamed **Swallowtail No 2** with new light
characteristic Fl.Y.10s. Colour, shape and top mark remain
unchanged.

Swallowtail No 4 lt buoy in 51°40′.52N., 1°03′.487E has
been renamed **Swallowtail No 3** Light characteristic Fl.
(2)Y.10s, colour, shape, and top mark remain unchanged.

Continued on next page

Continuation of:

p91 **RIVER CROUCH, COLNE, AND BLACKWATER APPROCHES**

Whitaker No 1 Lt buoy has been moved to a new position of 51°40'·53N., 1°05'·40E, shape, colour, top mark and light Fl.G.5 remain unchanged.

Whitaker No 2 Lt buoy has been moved to a new position of 51°40'·25N., 1°05'·40E, shape, colour, top mark and light Fl.R.5s remain unchanged.

Whitaker No 3 Lt buoy has been permanently withdrawn from 51°40'·42N., 1°04'·72E.

Whitaker No 4 Lt buoy has been permanently withdrawn from 51°40'·16N., 1°04'·91E.

Whitaker No 5 Lt buoy in 51°40'·04N., 01°03'·22E has been renamed **Whitaker No 3** with new light characteristic Fl.(2)G.5s, shape, colour and top mark remain unchanged.

Whitaker No 6 Lt buoy in 51°39'·77N., 01°03'·48E has been remanded **Whitaker No 4** with new light characteristic Fl.(2)R.5s, shape, colour and top mark remain unchanged.

Whitaker No 7 Lt buoy in 51°39'·54N., 1°02.00E has been renamed **Whitaker No 5** Lt buoy with new light characteristic Fl.(3)G.10s, shape, colour and top mark remain unchanged.

Whitaker No 8 Lt buoy in 51°39'·35N., 1°02'·00E has been renamed **Whitaker No 6** Lt buoy with new light characteristic Fl.(3)R.10s, shape, colour and top mark remain unchanged. *Local NM June 2021*

Brigemarsch Marina Approach, Plan

Insert lit R bn Fl.R.5·5s in 51° 38'·43N., 0° 45'·80E. and delete existing lit R bn Fl.R.10s, close SW of the above.

NM3261/21

p92 **RIVERS CROUCH AND ROACH, Plan**

Delete Lit G buoy, **Fairway No 3** in 51° 37'·18N., 0° 49'·91E *NM4735/20*

Move unlit Y buoy **Raysand**, from: 51° 39'·10N., 0° 59'·50E. to 51° 39'·08N., 0° 59'·28E. *NM4836/20*

Delete R can buoy **Fairway No 2** in 51° 37'·27N., 0° 48'·84E. *NM2655/21*

p100 **RIVER DEBEN, Plan**

Amend positions of entrance buoys as follows:

West Knoll 51° 58'·415N., 1° 22'·997E

Knoll Spit 51° 58'·509N., 1° 23'·141E

Mid Knoll 51° 58'·549N., 1° 23'·199E *TH March 21*

p100 **RIVER DEBEN, Text**

Amend second website to www.debenestuarypilot.co.uk

RE May 21

p101 **RIVERS ORE AND ALDE, Plan**

Delete **Orfordness Lighthouse** and legend in 52°05'·00N 1°34.40E. *Editor 2/2021*

Bar Buoys Following a Trinity House survey in March 2021, move seasonal buoys as follows:

Oxley to 52°02'·024N., 1°27'·964E

Weir to 52°02'·260N., 1°27'·560E *TH March 21*

p105 **BLAKENEY HARBOUR, Plan**

Insert

No 3A Stb buoy Fl.G 1s in 52°58'·94N., 0° 58'·15E

Amend as follows

No 1 Port buoy Fl.R. in 52° 58'·94 N., 0° 58'·15E

No 2 Stb buoy Fl.G.5s in 52° 58'·87N., 0° 58'·00E

No 3 Stb buoy Fl.G.4s in 52° 58'·98N., 0° 58'·03 E

No 4 Stb buoy Fl G 2.5s in 52° 58'·78N., 0° 57'·53E

Local 25/11/20

Col 2 last 4 lines to top of Col 3: Amend “Charlie Ward ... pilot boat)” to “Blakeney Harbour Association as follows: Henry Archer 07786092405 or Neil Thompson 07929181138 or Will Darby 07795463943.”

Entrance Amend first two lines to “ In May 2021 the channel was very close to”

Blakeney Hbr

p106 **WELLS-NEXT-THE-SEA**

Move W card **Wells Harbour** Q(9)15s to: 52° 59'·68N.,

0° 50'·24E.

NM3218/20

p109 **RIVER HUMBER ENTRANCE, Plan**

Replace BYB light float *VQ(3)5s Hawke* with GRG light float *Fl(2+1)G.6s Hawke* in 53° 34'·55N., 0° 05'·54E.

NM1695/21

p116 **NORTH SUNDERLAND, Text**

Amend Mobile Tel No 0790 4726121 .

HM

Scotland East and North Coasts

p120 **DUNBAR, Text**

Approach At end insert “. There is only 75m between drying rocks Scart and Castlefoot” .

Facilities Insert “Water on the pier”.

Ed

p122 **ANSTRUTHER, Text**

Telephone Amend to, HM 03451 555555 Ext 461541 *HM*

p124 **ARBROATH, Text**

Introduction Amend “contact HM for accurate times.” to “contact HM before arrival”.

Entrance and Berthing At end insert “Waiting pontoon in outer harbour, dries to soft mud.” *Ed*

p132 **STROMNESS, Plan**

Amend light to, Fl.4s7m7M in 58° 56'·95N., 3° 17'·83W.

NM3462/21

p133 **SCAPA FLOW, Plan**

Amend light to, Fl.4s7m7M in 58° 56'·95N., 3° 17'·83W.

NM3462/21

Scotland West Coast

p146 **KYLE AKIN, Plan**

Move R Lt buoy Fl.R.6s, from:

57° 16'·71N., 5° 45'·31W. to: 57° 16'·68N., 5° 45'·20W.

NM4605/20

p151 **CORPACH, Plan**

Insert legend *Marine under construction* between

56° 50'·535N., 5° 07'·462W. and 56° 50'·540N.,

5° 07'·627W.

NM3768/20

Delete lit G buoy Fl.G.3s in 56° 49'·228N., 5° 07'·143W.

NM665/21

p151 **CORPACH**, Text

Delete previous notice.

Insert at end of Col 1:

The new Corpach Marina has 45 berths just W of canal entrance. www.corpachmarina.co.uk *REMay2021*

p155 **GIGHA**, Plan

Insert Card E buoy *Q(3)10s* in 55° 40′.73N., 5° 43′.32W. *NM2545/21*

p155 **PORT ELLEN**, Plan

Delete shore light Fl.G.5s in 55° 37′.65N., 6° 11′.29W. *NM1429/21*

p157 **STORNAWAY HARBOUR**, Plan

Amend light to Dir.WRG.4s23m5M in 58° 12′.00N., 6° 23′.54W. *NM3002/2*

p164 **ARDROSSAN**, Text

Col 1 Lines 19 to 22. Amend to:

•3 F.R.(vert). Hbr and Marina closed to all traffic. *Clyde Marina*

Englandnd West Coast, Wales, & Isle of Man

p175 **LIVERPOOL, RIVER MERSEY**, Plan

Amend light to, 2F.G Bell(4) 15s 53° 23′.76N., 3° 00′.49W. *NM1044/21*

p177 **MENAI STRAIT NE ENTRANCE**, Plan

Amend Characteristics of *Trwyn Du* light in 53° 18′.77N., 4° 02′.45W to Fl.5s19m9M Horn(1)30s. *NM4948/20*

p178 **MENAI STRAIT SW ENTRANCE**, Plan

Move G buoy *Fl.G.5s C1*, from 53° 07′.21N., 4° 24′.49W. to 53° 07′.04N., 4° 24′.42W.

Move R buoy *Fl.R.10s C2*, from 53° 07′.30N., 4° 24′.51W. to 53° 07′.14N., 4° 24′.36W.

Move G buoy *Q.G C3*, from 53° 07′.20N., 4° 24′.01W. to 53° 07′.25N., 4° 23′.87W. *NM1370/21*

p181 **BARMOUTH**, Plan

Move RW buoy *LFl.10s Barmouth Outer* to: 52° 42′.81N., 4° 04′.89W. *NM133/21*

p183 **FISGUARD**, Text

Tel/VHF Old Harbour, Amend HM 01348 873389 to HM 01834 842717. Insert at end “ assistant HM 07812 559483” *RE*

p189 **SAUNDERSFOOT**, Plan

Replace unlit R buoy with lit Y can buoy Q.Y. in 51° 42′.48N., 4° 41′.38W. *NM5224/20*

p191 **CARDIFF AND PENARTH**

Delete shore light DirLFl.WRG.5s in 51° 26′.66N., 3° 09′.93W. *NM2465/21*

p192 **PORTISHEAD**, Plan

Firefly Rocks: Amend depth 0.9 to 1.6 in 51° 29′.90N., 2°45′.49W *Bristol Dock Surv 2020*

p193 **WATCHET**, Text

Amend marina *mobile* tel no to 07394 238218 (out of hours) *Ed*

Amend marina tel no 01984 631264 to 01984 322230 *HM*

p195 **PADSTOW**, Plan

Insert G buoy Fl.G.10s **Gun Point** in 50° 33′.26N., 4° 56′.24W.

Insert R buoy Fl.R.5s **Brea Beach** in 50° 33′.04N., 4° 56′.03W.

Move R buoy Fl(2)R.5s **Brea Spit**, from: 50° 33′.20N., 4° 56′.08W. to: 50° 33′.30N., 4° 56′.12W. *NM2963/20*

Insert lit R buoy LFl.R.10s **Daymer** in 50° 33′.50N., 4° 56′.12W.

Move lit G buoy Fl.G.5s **Doom Bar** to: 50° 33′.40N., 4° 56′.28W. *NM5626/19*

Insert isolated danger buoy Fl(2)10s in 50° 33′.79N., 4° 56′.14W

Delete isolated danger buoy Fl(2) in 50° 32′.50N., 4° 55′.61W *NM4193/20*

Ireland

p198 **IRELAND NORTH & WEST COAST** and

p199 **IRELAND SOUTH WEST, SOUTH and EAST COASTS**

CG Radio and Met tables make amends as follows:

CG Radio & Met VHF

Valentia 62

Shannon 64

Clifden 03

Belmullet 63

Glen Head 03

Malin Head 01,05

Dublin 03

Rosslare 05

Mine Head 03

Cork 02

Bantry 05 *IRNM36/20*

p214 **WATERFORD HARBOUR**, Plan

Insert plan **DUNMORE EAST HARBOUR** Amend pierhead light in 52° 08′.98N 6° 59′.37M from Fl.R.10s 6m4M to Fl(3)R.10s 6m4M *NM5113/20*
Insert shore lt 2F.G(vert) in 52° 08′.87N., 6° 59′.48W. *NM190/21*

p215 **KILMORE QUAY**, Text

Entrance Amend, line 2, depth amend depth from 0.9M to 1.9M. *Local NM32/2020*

p217 **DUN LAOGHAIRE HARBOUR**, Plan

Amend light to Fl.G.3s15m2M, in 53° 17′.87N., 6° 07′.84W. *NM746/21*

p218 **DUBLIN BAY**, Plan

Amend light-buoy in 53° 19′.91N., 6° 04′.64W from Mo(A)10s to Iso.4s . *NM4242/20*

p219 **HOWTH**, Plan

Insert legend *Works in progress2020* in 53° 23′.47N., 6° 04′.16W *NM5653/20*

p220 **CARLINGFORD LOUGH**, Plan

Amend

No 23 Lt buoy to, Fl(3)G.8s 54° 03'·88N., 6° 11'·12W.

No 20 Lt-buoy to, Fl(2)R.4s 54° 04'·72N., 6° 13'·25W.

Amend on Inset Plan

No 17 Lt-buoy to, Fl.G.4s 54° 02'·48N., 6° 08'·09W.

NM6254/20

p225 **FAIR HEAD TO BLOODY FORELAND**

Passage lights

Amend range of the following:

Altacarry Head (Rathlin East) from 26M to 18M

Rathlin West from 22M to 18M

NM2748/21

p232 **SLIGO HARBOUR**, Plan

Delete Lt Bn, Lifeboat Beacon, Q.R in 54° 18'·26N., 8° 34'·05W

(OSI Datum).

NM334/21

Belgium

None to date

Netherlands

p256 **ENTRANCE TO THE WESTERSCHELDE**, Plan

Move G buoy Iso.G.8s **SS 7**, from:51° 25'·04N., 3° 38'·82E.

to: 51° 25'·13N., 3° 38'·61E

Insert G buoy without top mark Iso.G.4s **SS 9** in

51° 25'·10N., 3° 39'·81E.

Delete G buoy with top mark Iso.G.4s **SS 9** in

51° 24'·93N., 3° 39'·88E.

NM1597/21

p258 **ENTRANCE TO THE OOSTERSCHELDE**, Plan

Insert G buoy Iso.G.4s **R9** in) 51° 36'·06N., 3° 38'·57E.

and delete existing unlit buoy **R9** close E.

Insert G buoy with topmark Q,G **R11A** in 51° 36'·74N.,

3° 39'·29E.

Insert light Iso.R.4s on **R 12** buoy in 51° 36'·29N.,

3° 38'·28E.

Replace E card buoy VQ(3)5s **OR-R R** by G buoy with

topmark Iso.G.8s **R11** in 51° 36'·41N., 3° 38'·96E.

NM6056/20

p262 **APPROACHES TO THE MAAS**, Plan

Move Lt G buoy *LFl.G.5s* **Maas 1**, from 51° 59'·38N.,

4° 01'·67E. to: 51° 59'·36N., 4° 01'·90E.

NM3246/21

p270 **ZEEGAT VAN TERSCHELLING**, Plan

Amend **ZS 3** Lt buoy to, Q.G in 53° 19'·29N., 4° 59'·48E.

ZS 4 Lt buoy to, Q.R in 53° 19'·55N., 4° 59'·64E.

NM1977/20

p271 **AMELAND (NES)**, Text

Insert Very popular in season. Dredged to 1.4m at CD.

Contact HM. Small supermarket nearby. VHF31.

Ed

Approaches to the Baltic

None to date

France, North Coast, and Channel Islands

p312 **FRANCE NORTH COAST**, Plan

Amend symbol for Lt Vessel so RW vert stripe buoy with R

special topmark in 49° 54'·46N., 2°53'·74W *TH12/2021*

p320 **LE HAVRE TO CHERBOURG**, *Passage lights*

Amend Pointe de Saire light to, Iso.4s10M *NM6050/20*

p324 **ST-VAAST-LA-HOUGUE**, Plan

Amend Light, Pointe de Saire, in 49° 36'·38 N.,

1° 13'·79W, to Iso W 4s 11m 10M *Lights List Wk47/20.*

p331 **BEAUCETTE**, plan

Delete radar bn, Racon(P), at light in 49° 30'·83N.,

2° 29'·14W.

NM5309/20

p333 **ST HELIER HARBOUR**, Plan

Insert Light F.R. in 49° 10'·800N., 2° 06'·738W

NM1082/2020

p334 **CARTERET**, Text

Entrance Delete all of text from 'During 2020' to end of

paragraph, and replace by 'At the inward end of the fish

quay a sill, dries 6·3m, marked with red and green piles 20m

apart, maintains the depth of the inner hbr and marina at 4m.

The channel beyond is marked with red and green piles.' *RE*

p336 **ST-MALO APPROACHES**, Plan

Delete Automatic Identification System, AIS, at lights in

48° 40'·20N., 2° 04'·96W. (*Grand Jardin*)

48° 40'·27N., 1° 58'·69W. (*Rochebonne*)

48° 38'·13N., 2° 01'·30W. (*Les Bas-Sablons*)

48° 37'·57N., 2° 00'·25W. (*La Balue*)

NM5625/20

Delete AIS at Light buoy Iso 4s in 48° 41'·32N., 2° 07'·27W.

NM420/21

France, West Coast

p361 **AUDIERNE**, Plan

Amend Pierhead light to Fl(2)R.6s in 48° 00'·99N.,

4° 32'·15W.

Coz Fornic light to, Fl.R.4s in 48° 00'·89N., 4° 32'·31W.

NM3516/21

Atlantic Spain and Portugal

p393 **AVILES**, Plan

Amend lights as follows:

Punta de la Forcada to Fl(1+2) 14·5s 23m in

43° 35'·83 N, 5° 56'·85 W

Punta del Castillo to Fl.R.5s 12m 5M in

43° 35'·73 N, 5° 56'·74 W

RE

p388 **PUERTO DE CASTRO URDIALES** /Text

Insert ☉ Club 942 86 15 85

RE

p388 **PUERTO DE LEQUEITIO**, Text

Insert ☉ 688 67 10 11

RE

p398 **PUERTO DE BILBAO**, Text

Amend to Tel Getxo 944 91 13 54

RE

p402 **RÍA DE PONTEVEDRA**, Plan

Insert G buoy *Iso.G.5s6M* in 42° 21'·81N., 8° 46'·16W.

NM1465/21

p414 **BAHIA DE CADIZ**, Plan

Delete legend AIS at R port pillar Lt buoy Fl(2)R.9s6M in

36°35'·78N 6°23'·94W

ILNW 19/20

The CRUISING ALMANAC

TIDE TABLES 2021

p5 **PORTLAND** Delete existing page 5 and replace with [this file](#). This link includes additional amendments to the text.

p9 **SOUTHAMPTON** Delete existing page 9 and replace with [this file](#).

ON ALL ODD NUMBERED PAGES:

Amend the date of the end of **Summer Time**, marked by the shaded box, from **Saturday 23rd October** to **Saturday 30th October**.

For an example page go to [this link](#) . *Editor*
