

# **CRUISING ALMANAC 2023**

# **CUMULATIVE CORRECTIONS ISSUE 10.0**

#### Cut-off date 1st July 2023

The Cruising Association, its officers, members, the editor and individual authors make no warranty as to the accuracy or reliability of any information contained in this publication and accept no liability for any loss, injury or damage occasioned to any person acting or refraining from action as a result of the use of such information or any decision made or action taken in reliance or partial reliance on it save that nothing contained in this publication in any way limits or excludes liability for negligence causing death or personal injury or for anything which may not legally be excluded or limited. No national hydrographic office, or local harbour authority has verified the information in these corrections, and none accept liability for the accuracy of reproduction or any modifications made thereafter therefore this product should not be used for navigation. New or amended Notices since the last Issue will be highlighted thus.

Please report any errors or omissions to <u>almanac@theca.org.uk</u>. Free monthly corrections by email are available by signing in at www.theca.org.uk/almanac/corrections.

# **General Information**

p13 Departure from Schengen (Col 1) Penultimate line. Amend 'form' to 'from'. (Col 2) 7. Red diesel First line, after 'complied with', insert 'to'.

#### **England South Coast**

p29 **ISLES OF SCILLY TO PENZANCE** *Passage lights* **Tater-Du** 20M to Amend range from 12M. NMWk35

p33 **FALMOUTH HARBOUR,** Plan **St. Anthony Head Lt Ho.** Amend the nominal ranges of the W and R sectors to 12 and 9 M respectively.

p34 **FALMOUTH,** Plan

Insert pontoon joining: 50°09′·96N 5°04′·84W and 50°09′·94N 5°04′·69W ILNW 483/22

p46 **TEIGNMOUTH HARBOUR,** Plan **Insert** depth 1·1 in 50° 32′·37N 3° 29′·46W. NM4180/22

#### p48 RIVER EXE, Plan

**Replace** unlit G buoy No 5 with lit G buoy FI(3)G.5s No5 in 50°36′·38N 3°23′·87W.

Replace unlit R buoy No 6 with lit R buoy Fl(3)R.5s No 6 in 50°36′·29N 3°23′·85W Exeter Port NM9/22 Replace R can buoy No 23 with G con buoy in

50° 38′·24N 3° 26′·65W. NM4076/22

**Move** No 7 G buoy to 50° 36′.50N 3° 24′.16W

Exeter Port 18/2022

Insert Isolated danger buoy FI(2)6s in 50° 37′·58N 3° 26′·57W NM093/2023

# p52 **POOLE HARBOUR AND ENTRANCE,** Plan

Replace No 1 G bn Fl.G.5s with R bn Fl.R.5s, currently no number, in 50° 41′·05N 1° 57′·57W. NM4510/22 Insert symbol A/S to E card buoy No 22 in 50° 41′·95N 2° 57′·42W. POOLE HBR22/2023

# p53 APPROACHES TO POOLE

**Delete** Y sph Lt buoy Fl.Y.5s in 50°39′·71N 1°54′·86W ILNW 456/22

p55 POOLE HARBOUR, Wareham Channel

Col 3 Supplies, Delete Fuel at Corals,.....before br.

RE July 2023

TH28/22

#### p56 **NEEDLES CHANNEL,** Text

**Insert in Col 4.** The sandbank NE of of Hurst Point is rapidly changing. Small craft are advised to give Hurst Point a wide berth.

ILNW 96/23

# p56 **NEEDLES CHANNEL,** Plan

Amend range of The Needle light to Oc(2)WRG.16-11M in 50°39'·7N 1°35'·5W ILNW 151/23

#### p57 **KEYHAVEN,** Text

**Insert** at end of **Caution.** At certain times a spit of sand can form and extend NE from Hurst point. Take care when negotiating the anchorage.

# p63 **SOUTHAMTON WATER,** Upper Plan

Insert R beacon Q.R in 0° 54′-20N 1° 27′-30W.

NM4810/22

#### p64 RIVER ITCHEN, Plan

Insert G con buoy Fl.G.3s Spitfire in 50° 54′·42N 1° 23′·06W and delete unlit spherical mooring buoy close NW. NM1567/23

#### p67 PORTSMOUYH HARBOUR and APPROACHES

Insert depth 4·4 with legend 'obstruction' in 50° 46′·01N 1° 06′·92W and delete depth 5.1 close NW. NM471/23

#### p68 PORTSMOUTH HARBOUR, North

Insert It Fl.R.5s at R bn in 50° 50′·23N 1° 09′·03W. Insert It Fl.G.5s at G bn in 50° 50′·20N 1° 08′·94W. **Fareham Lake,** Inset plan

Insert It Q(2)G.5s at G bn in 50° 50′·42N 1° 09′·22W. Insert It LFI.G.10s at G bn in 50° 50′·32N 1° 09′·04W.

NM567/23

#### p68 **SOUTHSEA MARINA**, Plan

**Add** light characteristics FI(3)R.10s to Red pile beacon in  $50^{\circ}$   $47' \cdot 76$  N  $1^{\circ}$   $02' \cdot 09$  W . NM3504/22

## p69 LANGSTONE HARBOUR, Plan

**Insert** depth 1.9m enclosed by 2m contour in 50°46′·20N 1°01′·15W. ILNW 348/22

# p72CHICHESTER HARBOUR, EAST, Plan

**Delete** daymark, *Main Channel* in position 50°48′·81N 0°53′·03W.

**Rename** the R pile in 50°48′-60N 0°53′-25W from *Roman Transit* to *Roman*.

**Delete** solid leading line and associated legend, 'Bns in line 033°'. ChHarb 17/2022

**Delete** the dotted leading line and associated legend 'Clump of trees in distance'. NM377/23

#### p74 **SHOREHAM**, Text

Col 4 Ine 8: Delete Few facilities .....service line 9: Replace with Facilities Gas, Chandlery, Slip, nearby local shops etc. Rly and Bus.

Amend Tel Lady Bee Marina 01273 591705 HM7/22

#### p75 **NEWHAVEN** Plan

Amend light at LT HO from Oc(2)10s17m12M to, lso.4s17m12M in 50° 46′·55N 0° 03′·51E NM882/23

p76 **EASTBOURNE – SOVEREIGN HARBOUR,** Plan **Delete** G buoy Fl.G.3s in 50° 47′·37N 0° 20′·21E.

NM659/23

p75 **NEWHAVEN TO RAMSGATE**, Passage Notes **Insert** Col 2, line 6: new paragraph.

#### Caution

Ferries leave Dover by both entrances. Passing vessels should keep at least 1 M off the harbour. NM1070/23

Insert at end of lights list: ROYAL SOVEREIGN
LIGHTHOUSE in 50° 43′.45N 0° 26′.09E. On or around the 20 July 2023, work will commence on dismantling Royal Sovereign Lighthouse. Mariners are requested not to enter the area between the lighthouse structure and the surrounding buoys whilst work is being undertaken.

TH19/2023

# p 76 **DOVER,** Text

# Introductory paragraphs.

**Replace** 'A very ....may continue.' by 'A very busy ferry port with good accommodation for vachts.

As of 1 Apr 23, the new Outer Marina is now open. Tel 01304 241663 or email <a href="marina@doverport.co.uk">marina@doverport.co.uk</a>. Full information can be found in the comprehensive marina guide

https://www.doverport.co.uk/downloads/MarinaGuide\_2023v2.pdf

Work in progress continues ashore, but full facilities are available.

Berthing After 'As instructed.' Insert 'New Outer Marina, Call VHF 80 for berthing instructions. The marina piers are marked A at the west inner end to I near entrance. Enter marina between the Marina Curve extension and the outer wavebreak, which has one way access controlled by IPTS lights on the marina curve extension, opposite the pier head. (NB At present, Apr 23, silting has occurred in the New Marina, by the Charter boat Berths. See LNTM 05-23. A shallow patch extending between the Charter Boat Berths and piers B, C and D, restricting access to craft with a draught of 1.5m or greater. Contact the Marina berthing master for advice.)

#### p77 DOVER HARBOUR, Plan

Delete pier head light FI(2)R.5s in 51° 07′·50 N 1° 20′·28 E. NM1085/23 Insert Marina symbol, yacht in a circle, in 51° 07′·14N 1° 18′·83 E Editor

p78 NORTH FORELAND TO OOSTENDE, Plan Insert text below centered on 51° 55′N 2°15′E: WARNING Mariners are warned of small unlit vessels crossing the traffic lanes within the Dover Strait. Some vessels may be unoccupied and adrift. Sightings

# p88 RIVER THAMES, Text

should be reported to HM Coastguard.

**Limehouse Dock Marina** will no longer be offering visitor mooring and will therefore not be accepting visiting vessels though the lock unless they show a CRT licence.

# **England East Coast**

#### p 91 RIVER CROUCH, COLNE AND BLACKWATER APR.

**Plan: Whitaker Channel:** Move YBY W card pillar Lt buoy *Swallowtail W* from 51°40′·04N 1°02′·66E to 51°39′·96N 1°02′·37E ILNW 351/22

**Text: Sunken Buxey:** Insert Shoaling has taken place, especially in the area between *Sunken Buxey* N card buoy, *Whitaker5* G buoy, and *Buxey No1* S card buoy; least depth 0.5 at CD. See Imray Block. INLW20/2023

p94 **BRADWELL**, Both inset and main plan, Insert R light Fl.R.3s in 51° 44′·73N 0° 53′·45E. Delete the two lights 2F.R(vert) close E and N. Delete associated legends " 2 F.R " . NM3421/22

# p99 **HARWICH HARBOUR,** Text

**Halfpenny Pier.** Insert Pier Manager is on duty 0800 - 1100 & 1300-1800 daily in season. HM.April 2023

### p100 RIVER DEBEN, Plan

The bar has moved.

**New** buoy positions are as follows:

Woodbridge Haven lit RW buoy Mo(A)15s

51°58′·24N 01°23′·86E

Mid Knoll G buoy 51°58′-67N 01°23′-83E

West Knoll R buoy 51°58′-83N 01°23′-64E

Knoll Spit R buoy 51°59′·00N 01°23′·48E

Deben G buoy 51°59′.05N 01°23′.53E

Move RW buoy Mo(A) 15s Woodbridge Haven, from: 51° 57′.99N 1° 23′.63F to: 51° 58′.24N 1° 23′.86F

51° 57′ 99N., 1° 23′ 63E. to: 51° 58′ 24N., 1° 23′ 86E

NM1918/23 Click here to download amended plan (Feb 2023).

#### p101 RIVERS ORE AND ALDE, Plan

Oxley (Seasonal) Unlighted Buoy
Re-established in 52° 02.024′N 1° 27.964′E
Weir (Seasonal) Unlighted Buoy
Re-established in 52° 02.244′N 1° 27.570′E TH09/23

#### p99 **RIVER ORWELL,** Text

**Royal Harwich YC** Line 2: after 'on' insert 'green marked berth on'. After Mob tel no, insert 'prefered' **Woolverstone Marina, Facilities.** Delete 'pumpout'. After 'restaurant' insert ' closed until late 2023'. HM

#### p101 RIVER DEBEN, Text, Waldringfield,

**Insert** In the narrow fairway channel beware of canoes, water boards, dinghies etc.

**Tel/VHF**. Line 2, delete 01473 736291. Line 4 amend 01473 736269 to 01473 736290 Ed

#### p105 BLAKENEY HARBOUR, Text & Plan

Amend to: The wreck of the Hjordis, marked by Isolated Danger Bn FI(2) 5 in 52° 59′·018N 000° 58′·144E, lies 250m west of the harbour entrance channel which is marked by G spar buoys numbered 1, 3, and 5 to navigate beyond the bar. Do not attempt to cross the bar more than 3 hours before HW or more than 3 hours after HW. See blakeneyharbourassociation.co.uk for updated information.

P12BHA A3

Move unlit RW Fairway approach buoy to

**Move** unlit RW *Fairway* approach buoy to 52° 59′·23N, 0° 58′·53E.

ВНА

# p107 APPROACHES TO KINGS LYNN, Plan

**Delete** Isolated Danger light buoy Z6 in  $52^{\circ}57' \cdot 52N$   $0^{\circ} 19' \cdot 17 E$  . KLNM08/22

**Move** No.13 light buoy to 52° 52′·02N 00°21′·54E KLNM08/23

#### p109 RIVER HUMBER APPROACHES. Plan

**Insert** G light float <u>Humber</u> LFI.G.10s with assoc racon symbol and lgd Racon(T) AlS in 53°38′·70N 0°21′·24E.

ILNW 533/22

Replace W card buoy Q(9)15s *Mid New Sand*, with lit R buoy Q.R *Mid New Sand* in 53° 36′·72N 0° 21′·20E.

NM5083/22

p110 **SPURN HEAD TO BERWICK,** Passage lights **Flamborough Head,** amend characteristics of light and fog signal to Fl(4)15s65m18M Horn30s. NMWk46/22

**ILNW** 

#### **East and North Scotland Coasts**

p119 **BERWICK TO ARBROTH**, *Passage Lights* **Isle of May**, amend Range from 22M to 18M.

NL09/22

p123 RIVER TAY, Plan

Insert Depth 1.2 enlosed by circle in

56° 25′·81N 2° 44′·50W with legend Wreck attached.

NM1615/23

p123 RIVER TAY Continuation

**Move** E card buoy Q(3)10s, *Middle Bank*, from: 56° 27′.40N 2° 56′.51W to 56° 27′.45N 2° 56′.29W.

NM3891/22

**Amend** Lt description from Dir.IsoWRG.3s24M14m to Dir.IsoWRG.2s24m14M in 56°27′·17N 2°53′·94W

ILNW439/21

Insert E card buoy VQ(3)5s in 56° 27′-60N

2° 57′-16W and delete legend 2Bns close W of above

NM247/23

p125 **PETERHEAD** Plan

**Replace** depth 2·4, with depth 1·6, and extend 2m contour E to enclose in 57° 30′·51N 1° 46′·24W.

NM3443/22

p135 SHETLAND, Plan

**Fair Isle:** North Skroo light in 59° 33′·13N 1°36°·59W, amend Range from 22M to 18M . NL 14/22

# **Scotland West Coast**

p164 TROON, plan

Insert legend, Marked by 4 Y con buoys, Fl.Y.4s,

between: 55° 33′-20N 40′-97W and

55° 33′·06N 4° 40′·70W. ILNW 412/22

p177 **MENAI NE ENTRANCE**, Planlight symbol and R light flash at the end of pier in 53°14′·44N 4°07′·57W. NB )R.10s close NNW remains.

p183 **FISHGUARD**, Text

**Tel/VHF** Old Harbour. Amend HM 01348 873389 to HM office 01834 842717.

p188 NAVIGATION IN THE BRISTOL

Nash Point Amend range, white to 19M and red to 14M TH41/22

p196 ST IVES, Plan

Replace unlit G buoy with lit G buoy Fl(2)G.4s in 50° 12′·86N 5° 28′·41W. NM913/23

#### **Ireland**

p205 GLENGARRIFF HARBOUR, Plan

**Garinish Island** Amend overhead power cable to an underwater power cable in 51°44′·31N 9°32′·71W. Delete assoc. clearance height of 15m and legend "power" ILNW 566/21

p206 **CROOKHAVEN**, Text

**Anchorage** At end of paragraph, after 'pontoons' insert 'with pick-up buoy, pay at pub' Editor

p218 DUBLIN BAY, Plan

Insert Y buoy Q(5)Y.20s Omega (Apr -Oct) in 53° 17′·78N 6° 06′·23W. NM1104/23

#### p220 CARLINGFORD LOUGH, Plan

Amend main plan:

No 1 lt buoy to, Fl(3)G.6s in 54° 00′·80N 6° 03′·33W. No 2 lt buoy to, Fl(4)R.6s in 54° 00′·74N 6° 03′·41W. Amend on inset plan:

No 7 It buoy to, FI(3)G.6s in 54° 01′·51N 6° 05′·06W. No 8 It buoy to, FI(4)R.6s in 54° 01′·40N 6° 04′·97W.

NM3377/2022

p221 STRANGFORD LOUCH, Plan

**Insert** symbol for non-dangerous wreck, not dangerous to surface navigation in 54° 23′·33N 5° 33′·90W. NM943/2023

p223 BELFAST, Plan

Amend light to, Fl.Y jn 54° 36′·34N 5° 54′·90W.

Delete pier light 2F.G (vert) in 54° 36′·27N 5° 55′·18W

NM1906/2023

p231BURTONPORT, Text

Col 1 line 4 change tel no from 086 8310121 to 081487 6482 Editor 4/23

Col 2 **berthing**: After "In the 63 berth marina" Insert "at outer end on E side of the finger berths, large vachts on end".

Facilities: lines 4 and 5, Amend: A new facilities block is being built, open Autumn 2023, at present no laundry.

p235 **INISHTURK** Text

Insert: Well worth a visit. Editor 2/23

p239 CASHLA BAY, Plan

**Rossaveal** Insert legend, Works in progress (2023), centred on: 53° 15′.95N., 9° 33′.93W. NM1142/23 Insert legend, New marina, with arrow aimed on 53°16′.15N 9°33′.46W approx. Editor 3/23

#### p241 KILRONAN HARBOUR, Text

Anchorage Insert: Easy access; keep clear of ferries.Ed

#### p243 **DINGLE HARBOUR,** Plan

The eastern half of the harbour is no longer maintained to dredged level. Delete label 2·6m in 52°08′·30N 10°16′·43W Amend western half of harbour dredged depth to 3·1m centred on 52°08′·28N 10°16′·60W Amend range of Lt DirOc.WRG.4s13m2M to 3M in 52°08′·33N 10°16′·52W ILNW 414/2022

# **Belgium**

#### p246 **ZEEBRUGGE**, Plan

**Move** Y spher. Lt buoy FI(5)Y.20s in 51°21'·34N 3°11'·57E to 51°21'·06N 3°11'·82E ILNW 157/22

# **Netherlands**

#### p254 &261 HARINGVLIIET, Text

Works are in Progress on the moveable part of the Haringvliet Bridge and maximum air draft under the bridge is 13m. Works are expected to be completed in autumn 2023. Ed Jan2023

# p257 **APPROACHES TO THE WESTERSCHELDE,** Plan

**Insert** R can Lt buoy SS 2 Q.R in 51°25′·50N 3°37′·92E. **Delete** R spar buoy SS 2 close NW Replace G starboard spar buoy SS 5 with Y special pillar buoy ARV 5 in 51°24′·71N 3°38′·04E

**Delete** G starboard spar buoy SS 3 in 51°25′·04N 3°37′·30E

**Delete** R can Lt buoy SS 4 Q.R in 51°25′-23N 3°37′-82E ILNW 304/22

**Insert** Y sph buoy FI(5)Y.20s (*AIS*) in 57° 25′·03N 0° 34′·85W NM1448/23

# p258 VLISSENGEN, Text

**Col 2: Schelde Marina** Amend telephone numbers to 0615538515

p259 ENTRANCE TO THE OOTTERSCHELDE, Plan Insert lit buoy R.8s, WG4, in 51° 38′·49N 3° 28′·99E.

**Move** unlit N card buoy *WG-R*, from 51° 38′·18N 3° 28′·82E to 51° 38′·09N 3° 29′·07E.

**Replace** lit bn LFI.R.8s *WG 4* with unlit bn *OS 11* in 51° 38′·62N 3° 28′·82E NM4975/22

# p265 **SCHEVENINGEN** Plan

Insert shore/pier light Iso G.8s in 52° 06′·01N 4° 15′·43E. NM4691/22

#### p 268 ENKHUIZEN Plan

Insert R buoy Iso 8s in 52° 41′·90N 5° 17′·81E Delete R and G lights close to 52° 41′·7N 5° 17′·2E Extend line marking waiting pontoon to 52° 11′·26N 5° 17′·60°E and close SSW insert light Iso G 2s. Amend It in 52° 41′·12N 5° 16′·74E from F.R to Iso G 6s and It in 52° 41′·06N 5° 16′·88E from F.G to Iso R 6s .

p271 **APPROACHES TO DEN HELDER,** Inset Plan **Insert** Y spher Lt buoy *MNHV* FI(5)Y.20s in 52°58′·00N 4°47′·77E ILNW 509/22

# **Approaches to the Baltic**

# p276 ROUTES AND PORTS, Plan

The following VHF Channels have been changed. (From NW to SE round Norwegian and Swedish coasts)

| •             |        |          |           |
|---------------|--------|----------|-----------|
| Bergen        | change | 81 to 03 |           |
| Kristiansand  | change | 27 to 61 |           |
| South of Oslo | chance | 27 to 61 |           |
|               | change | 81 to 03 |           |
|               | change | 21 to 62 |           |
| Grebbestad    | change | 26 to 62 |           |
| Uddevalla     | change | 84 to 61 |           |
| Helsingborg   | change | 24 to 60 |           |
| Malmo         | change | 27 to 65 |           |
| Karlshamn     | change | 25 to 62 | Ed Nov 22 |
|               |        |          |           |

# p293 **EGERSUND,**Plan

**Longitude Scale,** Amend 6°00′W to 6°00′E

On Inset Plan, Amend 6° to 6°00′E

Ed Dec 22

#### p293 MANDAL, Plan

**Amend** Pierhead It in 58° 01′·22N 7° 27.30E to Iso R.4s . RE Nov22

#### p 301 SVENDBORG HARBOUR, Plan

Change light characteristic of shore light in 55° 03′·54N 10° 37′·29E from F.R to Fl. R.3s

Danskehavnlods dk

#### p 304 **LAGUNEN YACHT HARBOUR**, Plan

**Latitude** scale. Insert 12° before 56′·0 Editor3/23

# France North Coast, and Channel Islands

# p314 **FRANCE NORTH COAST,** Right hand table **Replace** with

| Met Area  |  |     |                  |  |
|---|--|-----|------------------|--|
| Transmitter                                       |  | VHF | Times (LT)       |  |
| CROSS Gris-Nez Belgian border to Baie de la Somme |  |     |                  |  |
| Dunkerque   |  | 79  | 0720, 1320. 1920 |  |

| Gris-Nez  | 79 | 0710, 1310, 1910       |  |  |
|---|----|------------------------|--|--|
| CROSS Gris-Nez Baie de la Somme to Cap de la Hague  |    |                        |  |  |
| Ailly   | 79 | 0703, 1303, 1903       |  |  |
| CROSS Joburg Baie de la Somme to Cap de la Hague    |    |                        |  |  |
| Antifer   | 80 | 0803. 1303, 2003       |  |  |
| Port-en-Besssin                                     | 80 | 0745, 1345, 1945       |  |  |
| Joburg  | 80 | 0733, 1333, 1933       |  |  |
| CROSS Joburg Cap de la Hague to Pointe de Penmarc'h |    |                        |  |  |
| Joburg  | 80 | 0715, 1315, 1915       |  |  |
| Granville   | 80 | 0703, 1303, 1903       |  |  |
| CROSS Corsen Cap de la Hague to Pointe de Penmarc'h |    |                        |  |  |
| Fréhel  | 79 | 0545, 0803, 1303, 2003 |  |  |
| Bodic   | 79 | 0533, 0745, 1345, 1945 |  |  |
| Batz  | 79 | 0445, 0703, 1303, 1903 |  |  |
| Stiff   | 79 | 0503, 0715, 2325, 1915 |  |  |

#### p322 HONFLEUR, Plan

**Amend** light at head of Jetée Est from Fl.R to Fl.R.4s in 49° 25′·40N 0° 14′·10 E BA lts list51/21

#### p323 **DIVES-SUR-MER**, Plan

**Delete** G con buoy in 49°17′·72N 0°05′·50W and move the G light flash with legend Fl.G. 4s to the G beacon close WSW.

**Insert** drying height 3.7 close E of the above beacon. French Notice 3/40/22

#### p341 DAHOUET, Plan,

**Delete** existing unlit R bn and **insert** lit YBY West card beacon, Q(9)15s, *L'Etau* close by in 48° 34′·87 N 2° 34′·27W.

#### France, West Coast

p364 *Passage Lights,* Col 1 **Ile aux Moutons** Delete AIS

ILNW 495/20

# **NW Spain**

#### p387 NORTHWEST SPAIN, Text

Col2 Ports of entry for Spain amend as follows:

**Northern Spain** - Pasaia (Pasajes), Bilbao, Santander, Gijón, Avilés, Ferrol, A Coruña, Vigo.

**Southern Spain** - Seville, Cádiz, Tarifa, Algeciras, La Línea de la Concepción, Ceuta. RE Feb 23

#### p391 PUERTO DE BILBAO, Plan

**Insert** shore light Fl.Y.4s in 43° 19′·82N 3° 01′·55W

NN4335/22

Insert G pillar buoy Fl(2+1)G.12s in 43° 19′.97N 3° 01′.64W and delete lit card W buoy close NW.

NM1699/2

**Delete** Y buoy Fl.Y.3s in 43° 21′·36N 3° 03′·44W

NM1699/23

#### p400 LA CORUNA, Text

# Col 3 tel no: Amend 881 920 482 to 384 0660 5106.RE

p404 **RIA DE AROUSA,** Plan

Insert dangerous wreck sym. in 42°34′·18N 8°52′·19W ILNW21/22

# Portugal, SW Spain, and Gibraltar

# p408 PORTUGAL Weather Forecasts.

Insert: Alges 0905, 2105 MF 2,657 kHz

# p410 POVOA DE VARZIM, Text Col 4,

Amend tel to 252 688 121

p411 LEIXOES, Test, Col 2,

**Amend** Tels

9964895 to 229 994 4895

9953000 to 229 995 3000

p411 **LEIXOES**, Plan

Delete pierhead light Fl.R.4s9m6M in

41° 10′ ·69N 8° 42′ ·50W. NM217/22

#### p411 LEIXOES, Plan

#### Insert

W card buoy VQ(9)10s2M *QM1* in 41° 10′·27N 8° 42′·59W

R pillar buoy Fl.R.4s2M *QM4* in 41° 10′·27N 8° 42′·41W

R pillar buoy FI(2)R.10s2M QM3 in 41°  $10'\cdot 20N$  8°  $42'\cdot 38W$ .

S card buoy VQ(6)+LFl.10s4M QM2 in (d) 41° 10′·12N 8° 42′·48W.

**Insert** limit of restricted area entry prohibited, inside pecked line, joining the above buoys.

Delete pier head light and fog signal

Fl.WR.5s24m12/9M Horn(1)20s Quebra-mar and associated sectors in 41° 10′·37N 8° 42′·48W

NM4431/22

RE

RE

RE

#### p412 **PENICHE, Text**, Col 3

Amend Ilha Berlenga Lt to Fl(3)20s27m

p413 **CASCAIS**, Plan

**Delete** R pillar Lt buoy CC2 Fl.R.4s in 38°41′·66N 9°24′·76W ILNW 79/22

#### **TIDE TABLES 2023**

p 2 Col2, L 7: **Amend** to Plymouth (Devonport), 2 Col2, L 10: **Amend** to Portsmouth, 10