



Subscribe to free monthly corrections*

and keep your *Cruising Almanac* up to date!

Subscribe today www.theca.org.uk/almanac/corrections

Please report any errors or omissions to almanac@theca.org.uk

Essential Cruising Information

None recorded to date

England South Coast

p 34 FALMOUTH, Plan

Insert AIS, at light-buoys 50° 09'·680N., 5° 04'·200W.
50° 09'·567N., 5° 03'·614W. 50° 09'·260N., 5° 03'·789W.
V-AIS at 50° 09'·434N., 5° 03'·723W. 50° 09'·487N.,
5° 03'·542W. 50° 09'·503N.,
5° 03'·135W. 50° 09'·439N., 5° 02'·886W

NM 3535/2025

p 39 PLYMOUTH SOUND, Plan

Amend light-buoy to, Q(6)+LFI.15s S Winter 50° 21'·398N.,
4° 08'·552W. NM 5772/2025

p 44-55 SALCOMBE KINGSBRIDGE ESTUARY, Plan and Text

Insert symbol, Visitors' mooring, VHF5 at 50° 14'·004N.,
3° 46'·059W. **Delete** symbol, Visitors' mooring, close SE of:
50° 14'·007N., 3° 46'·009W.

Text, p45 Col 2 **Anchorage**s at end of line 5 **Insert** VHF 5

NM 2396/2025

p 48 TEIGNMOUTH HARBOUR, Plan

Delete 2F.G(vert) 50° 32'·634N., 3° 29'·526W

NM 4515/2025

p 52 PORTLAND HARBOUR, Plan

Insert limit of marine farm, pecked line, joining: (a)

50° 35'·91N., 2° 26'·50W.

(b) 50° 35'·81N., 2° 26'·57W. Move pecked lines and fishing
symbol from:

50° 35'·83N., 2° 26'·43W. to: 50° 35'·87N., 2° 26'·57W.

Delete Y Lt Buoy ;FI.Y.5s (c) 50° 35'·74N., 2° 26'·34W. (d)

50° 35'·76N., 2° 26'·42W.

Pecked lines showing previous limits of the marine farm.

NM 673/26

p 55 POOLE HARBOUR AND ENTRANCE, Plan

Insert G Con buoy at 50° 41'·w808N., 1° 59'·285W. and a) R
Can at 50° 41'·957N., 1° 57'·431W.

Delete BYB E Card Mark close to W of (a) above

Move R Can Buoy from 50° 42'·156N., 1° 58'·156W. to
50° 42'·155N., 1° 58'·148W.

Delete BYB E Card Mark 50° 40'·856N., 1° 57'·817W.

NM 5051/2025

p 60 LYMINGTON, Plan w

Insert R can buoys at 50° 45'·100N., 1° 31'·287W

50° 45'·094N., 1° 31'·250W. 50° 45'·085N., 1° 31'·217W.

50° 45'·071N., 1° 31'·185W

NM 3390/2025

England East Coast

p 88 RIVER MEDWAY, CONTINUATION OF R MEDWAY, Inset
Plan, A dangerous wreck, with a least depth of 1.6m, has been
reported in approximate position 51° 23'·623N.,

0° 30'·244E (close to Castle Bridge)

Mariners are advised to navigate with caution in the area.

NM 1219(T)/2024

p 101 IPSWICH, Text Col 4 **Fox's Marina**

Insert Boatyard All repairs, refits and yachting services. 70t
and 50t boat lifts max 25m 6.4m beam. On site and on-line
chandlery.

Facilities Bar and Restaurant. CI

Mon & Tues. Pub and stores nearby.

Ed

p 106, GREAT YARMOUTH, Plan

Insert the accompanying **block** centred on 52° 34'·4N 1° 44'·0 E

NM 523/26

p 108 APPROACHES TO KING'S LYNN AND WISBECH, Plan

Delete LtQ.G 52° 45'·163N., 0° 23'·419E.

NM 2320/2025

p 109 APPROACHES TO KING'S LYNN AND WISBECH

Insert Approach to Wisbech **block**, centred on: 52° 51'·8N.,
0° 13'·6E. NM/826/26

Insert depth, 07 50° 36'·547N., 2° 26'·560W.

NM 759/26

2026 CRUISING ALMANAC

Updates - Issue 6

p 111 **RIVER HUMBER UPPER REACHES**, Plan
Recent survey shows reduced depths. Remain in buoyed channel Source ABP

p 113 **SCARBOROUGH**
Insert the accompanying **block**, centred on: 54° 16'·9N., 0° 23'·4W NM424/26

p 116 **RIVER TYNE**, Plan
Amend range of light at 55° 00'·87N., 1° 24'·17W. to 20M NM 4180/2025

p 116, **RIVER TYNE**, Plan
Amend light to, Fl(3)R.10s13M 55° 00'·67N., 1° 24'·07W. light to, DirOc.WRG.19M 55° 00'·48N., 1° 25'·44W.

p 117 **AMBLE AND WARKWORTH**, plan
Insert YB 55° 20'·25N., 1° 33'·85W. and 55° 20'·34N., 1° 33'·98W. RS Hydro

p 117 **AMBLE AND WARKWORTH**, Plan
Re-engineering works are taking place at Coquet lighthouse. The sectored light in position 55° 20'·033N., 1° 32'·384W. has been temporarily amended to Fl(3)20s9M visible through 360°. The red sectors are temporarily extinguished. The following light-buoys have been established:

Characteristic	Designation	Buoy Type	Position
QR	Pan Bush	Can Red	5° 20'·730N., 1° 33'·400W.
Fl(2)R5s	Hauxley Head	Can Red	55° 19'·394N., 1° 31'·740W.
Fl(3)R10s	Cresswell	Can Red	55° 14'·80N., 1° 29'·00W.
Q	Coquet Flat	North Cardinal, Pillar	55° 20'·860N., 1° 32'·830W.

These works are expected to be completed by October 2026. Mariners are advised to navigate with caution in the area. NM 4707(T)/2025

p 117 **Amble and Warkworth**, Plan
Amend light to, Fl(2)12s12M 26° 47'·7N., 53° 24'·6E NM4434/2025

p 119 **BERWICK**, Text
Entrance Insert after "come in line on 207°." Do not use the leading line until clear of the R buoy. NM 3073(T)/2023

Scotland East Coast and Northern Isles

p 127 **PETERHEAD**, Plan
Delete Fl(5)Y.20s Wave Monitor Buoy 57° 30'·080N., 1° 47'·032W. NM 2431/2025

p 128 **FRASERBURGH**, Plan
Insert Automatic Identification System, AIS, at light 57° 41'·85N., 2° 00'·23W. NM2316/2025

p 129 **BUCKIE**, Text,
Insert Before final sentence, Depths near to entrance reported to be less than indicated on charts. NM 2867(T)/2022

p 133 **WICK**, Plan
Amend light to, Dir.WRG.2s10M 58° 26'·53N., 3° 05'·25W NM 4374/2025

Amend port entry light, Fl.G.5s5m, at 58° 26'·322N., 3° 04'·831W. NM 4805/2025

p 135 **SCAPA FLOW**, Text,
At the end of the first paragraph, **Insert** Following a recent survey, numerous depths and drying heights less than charted exist within ScapaFlow and Kirkwall Bay. NM4076(P)/2025

p 136 **SCAPA FLOW**, Plan
Insert Wreck 58° 55'·42N., 2° 47'·70W. Orkney Islands Council and UKHO NM916/26

p 139 **FAIR ISLE**, Plan
Dredging and construction works are taking place around Fair Isle Ferry Terminal in the area bounded by the coastline and a line joining the following positions: 59° 32'·248N 1° 36'·318W, 59° 32'·338N 1° 36'·248W. NM 2352(P)/2025

p 141 **SCALLOWAY HARBOUR**, Plan
Depths less than charted exist within Scalloway Harbour. **Insert** Depth 0.6m at 60° 08'·177N., 1° 16'·156W. Source: UKHO

Scotland West Coast

p 144 **SCOTLAND WEST COAST**, Index Page
Insert limit of firing practice area, pecked line, joining: 57° 39'·5N., 7° 22'·5W. 57° 40'·1N., 7° 22'·5W. 57° 43'·2N., 7° 20'·0W. and 57° 47'·6N., 7° 20'·0W. 57° 41'·5N., 7° 37'·1W. 57° 33'·1N., 7° 30'·3W. 57° 33'·9N., 7° 28'·0W. legend, FIRING PRACTICE AREA NM 732/26

p 146 **LOCH INCHARD**, Plan,
The following depths have been recorded

Depth	Position
1.5m	58° 27'·187N., 5° 05'·006W.
1m	58° 26'·90N., 5° 05'·44W
0.4m	58° 27'·95N., 5° 04'·64W

NM 1064(P)/2025

p 162 **STORNOWAY HARBOUR**, Plan
Insert depth, 1.7, and extend 2m contour SW to enclose depth, 2.8, close S to 58° 12'·269N., 6° 23'·067W
Replace depth, 3.8, with Wk 58° 11'·577N., 6° 22'·668W and drying height, 0.1, at 58° 12'·224N., 6° 22'·750W. NM 2668/2025

2026 CRUISING ALMANAC

Updates - Issue 6

England West Coast and Wales

p 180 **RIVER RIBBLE**, Plan

The 8.5 mile lit perch, in position 53° 43' .61N. , 2° 56' .78W. , has been reported severely damaged and likely to be submerged other than at low tide.

A starboard-hand green buoy, Fl.G.5s, currently marks the damaged perch. NM 4394(T)/2024

p 181 **LIVERPOOL RIVER MERSEY**, Plan

Insert depth, 1,1m enclosed by 2m contour 53° 22' .627N. , 2° 58' .953W. NM4922/2025

p 192 **MILFORD HAVEN ENTRANCE**, Plan

Replace SC Lt Buoy VQ(6)+LFI.15s South Hook with Y Lt Buoy Q(4)Y.10s South Hook 51° 41' .819N. , 5° 06' .102W NM901/26

Ireland

p 221 **CORK HARBOUR**, Plan and Text, Approach

Insert At the end of the text, "Mariners are advised to avoid the construction work around the quays to the South of Haulbowline Island." NM 5720/202

p 224 **WATERFORD**, Plan

Move buoy Fl(3)R.10s Waterford from 52° 09' .48N. , 6° 56' .75W. to 52° 08' .95N. , 6° 57' .00W. NM 3817/2025

p 224 **WATERFORD**, Plan

Insert the accompanying [block B](#), centred on: 52° 15' .9N. , 7° 06' .6W. NM525//26

p 228 **DUBLIN BAY**, Plan

Insert Yellow Buoy Fl.Y.5s 53° 17' .49N. , 6° 06' .96W. NM 5830/2025

p 237 **RIVER BANN ENTRANCE**

Insert the accompanying [block](#), centred on: 55° 10' .3N. , 6° 46' .3W. Coleraine Harbour NM 136/26

p 242 **KILLYBEGS**, Entrance

Insert Quay construction works and dredging are taking place at Killybegs Harbour in the vicinity of North Quay 54° 37' .853N. , 8° 26' .400W. NM0432(P)/2023

p 252 **GALWAY BAY**, Plan

Insert Automatic Identification System, AIS, at light 53° 15' .36N. , 9° 01' .92W. Galway Harbour Company NM 3335/2025

Belgium

None to date

The Netherlands

p 269 **ENTRANCETOTHEWESTERSCHELDE**, Plan

Move G Buoy Iso.G.8sSS 5, from: 51° 25' .34N. , 3° 39' .25E. to 51° 25' .39N. , 3° 39' .25E.

And G Con Buoy Iso.G.4sSS 7, from: 51° 25' .13N. , 3° 40' .03E. to 51° 25' .25N. , 3° 39' .92E. NM 2743/2025

Insert a cardinal light-buoy, VQ NS-N at 51° 24' .75N. , 3° 31' .27E. NM2607(T)/2025

p 278 **NORDZEEKANAAL**, Text

Col 4 First paragraph; **Delete** The last 3 lines. **Insert** VTA Sector Amsterdam Port is divided into two separate sectors at km 19.6 in the vicinity of position 52° 24' .90N. , 4° 51' .62E. The two new sectors will be called (from west to east): Sector Westhaven (VHF 4) and Sector Stad (VHF 5). NM 4549/2025

p 278 **SCHEVENINGEN**, Plan

Insert symbol, circle with white flare Iso.4s5M (a) 52° 05' .91N. , 4° 15' .51E.

lit radar station, Ra (a) above Pile, at 52° 05' .86N. , 4° 16' .05E.

Amend light to, Iso.4s5M Iso.G.8s at 52° 06' .00N. , 4° 15' .44E.

Delete Lights (a) F.R at 52° 05' .95N. , 4° 15' .84E. (b) Iso.4s14M at (b) 52° 05' .87N. , 4° 15' .54E.

And leading line, pecked line, joining: (a) and (b) above NM 5006/2025

p 278 **IJMUIDEN AND NOORDZEEKANAAL**, Text

Insert At end of entry Sluis IJmuiden VHF 22 NM 4796/2005

p 279 **AMSTERDAM**, Text,

Insert the following at the end of the first para in Col 3.

Shoaling has been reported in the area around the Oranjesluizen and the Schellingwouderbrug. Pleasure craft with a draft of more than 2m that are waiting for a lock are advised to moor on the starboard side before the lock and to keep to the main fairway. Mariners are advised to consult the local authorities for the latest information.

NM 2601(T)/2025

Approaches to the Baltic

p 310 **GÖTEBORG**, Plan and Text Depths less than charted have been reported to the S of Knippelholmen

NM 2822(T)/2019

Insert G Fl(5)Y 20s ODAS 57° 39' .071N. , 11° 43' .703E. QR

57° 42' .585N 11° 57' .481E and 57° 42' .741N 11° 57' .728E.

QG 57° 42' .730N 11° 57' .752 E and 57° 42' .572 N 11° 57' .509E.

NM 3188/2025

2026 CRUISING ALMANAC

Updates - Issue 6

p 318 **KØBENHAVN**, Text, Approach

Insert after "Pleasure craft must keep to the south in the Kronløbet channel" where between the Middlegrunds and Trekroner Forts depths may be less than shown on the chart.
NM 2262/2205

France North Coast and the Channel Islands

p 337 **APPROACHES TO LE HAVRE THESEINE & HONFLEUR**, Plan

Three measuring instruments have been deployed, until further notice, in the following positions:
49° 28'·688N., 0° 05'·671E. 49° 28'·225N 0° 05'·005E.
49° 28'·560N 0° 02'·248E. The first measuring instrument is marked on the surface by a yellow buoy. Mariners are requested not to fish, dredge, trawl, or anchor near these positions.
NM 3687(T)/202

p 341 **BAIE DU GRANDVEY**, Plan

Amend designation of buoy at 49° 24'·68N., 1° 01'·82W from 1 to A 49° 24'·88N., 1° 03'·80W from 3 to B 49° 24'·80N., 1° 04'·98W. from 5 to C NM 3047/2025

p 341 **BAIE DU GRAND VEY**, Plan

Insert the accompanying **block**, centred on: 49° 23'·3N., 1° 09'·4W. French Notice 40/42/25

France West Coast

p 379 **PORT DU MOULIN BLANC**, Plan

Insert breakwater, double firm line, width 5m, joining 48° 23'·442N., 4° 25'·778W. to 48° 23'·481N., 4° 25'·42W.

Move Fl.R.2,5s1M at 48° 23'·498N., 4° 25'·731W. to 48° 23'·486N., 4° 25'·761W

Delete former breakwater, double firm line, width 5m joining 48° 23'·498N., 4° 25'·731W. to 48° 23'·486N., 4° 25'·761W.
NM 3179/2025

p 379 **Camaret**, Plan

Amend light to, Iso.WG.4s.10m10/7M 48° 16'·83N., 4° 35'·32W.

Insert anchorage symbol 48°16'38.00"N 4°35'32.60"W
NM 5761/2025

p 380 **MORGAT**, Plan and Text

Amend Lt Buoy Morgat to QR

Entrance add « at end of mole" to the final sentence. **Berthing** before final sentence **Insert** Moorings to the W of hammerheads.
NM5501/2025

p 380 **DOUARNENEZ**, Plan

Insert **block**, centred on: 48° 06'·0N., 4° 20'·0W. French Notice 39/41/25

p 381 **AUDIERNE**, Plan & Text

Insert the accompanying **block**, centred on: 48° 00'·9N., 4° 32'·8W. **Insert** after **Entrance**. Local authorities try to maintain a minimum depth of 1-2m. Despite regular dredging, the channel is continually silting and some channel buoyage is seasonal.
NM 623/26

p 402 **GIRONDE TO CAPBRETON WARNING**

At the end of the text **Insert** Consult The Landes Firing Range <https://portail.ping-info-nautique.fr/> for information on firing times and positions. See also App Nav & Co

North West Spain

p 411 **PUERTO BILBAO**, Plan

Insert 00.3 Wk 43° 20'·27N., 3° 00'·82W. Spanish Notice 46/340/25

p 413 **SANTANDER**, Plan

Insert **block** centred on 43° 26'·4N., 3° 48'·9W
NM 3044/2025

p 427 **RIA DE VIGO**, Plan

Insert N card Lt Buoy Q. 5M 42° 09'·21N., 8° 53'·43W.
Delete N card Lt Buoy Q. 5M 42° 09'·29N., 8° 53'·21W.
Spanish Notice 40/305/25

p 427 **ENSENADA DE SAN SIMON**, Plan

Amend light to, Fl(2+1)R.15s1M 42° 18'·14N., 8° 39'·27W.
NM178/26

Portugal, SW Spain & Gibraltar

p 431, **RIVER DOURO**, Plan

The characteristics and designations of lateral buoyage in the Rio Douro, between positions 41° 08'·745N., 8° 40'·360W. and 41° 08'·339N., 8° 37'·129W. have changed. NM 5180(P)/2018

p 431 **LEIXÕES**, Plan

Numerous changes to aids to navigation and depths have occurred within Porto de Leixões and its approaches 41° 10'·707N., 8° 42'·411W. Mariners are advised to navigate with caution in the area and consult the local port authorities for the latest information. NM 2343/2025

P432 **FIGUEIRA DA FOZ** Plan

Amend the lights on the moles to FL.R.6s 14m9M and FL.G.6s 14m7M
NM5764/2025

p 434 **LISBOA**, Plan

Insert buoy with a top mark in shape of an X Fl.Y.3s3M EMSA 38° 42'·256 N., 9° 08'·427W. NM 3245/2025

2026 CRUISING ALMANAC

Updates - Issue 6

p 435 **SINES**, Plan,
Beware construction work to the SE of the outer harbour
which is marked by Fl(4)Y.10s yellow buoys of which only 3
are lit. NM 5580(P)/2020

p 440 **MAGAZON**, Plan Explosive Dumping Ground
Insert Lt Buoys Fl.Y.5s at 37° 07'·90N.,
6° 50'·92W.
37° 07'·76N., 6° 50'·71W.
Limits of explosive dumping ground
(a) 37° 07'·89N., 6° 51'·16W.
(b) 37° 07'·78N., 6° 50'·90W.
(c) 37° 07'·56N., 6° 50'·66W. legend, NM5706/2025

p 440 **MAGAZON**, Plan
Insert Dolphins Fl(4)G.10s 37° 08'·84N., 6° 52'·44W. and
Fl.Y.3s 37° 08'·80N., 6° 52'·33W NM 339/26

Key for Sources of Information

BA	British Admiralty	NL	Northern Lights
HA	Harbour Authority	NM	Notice to Mariners
HM	Harbour Master	TH	Trinity House
IL	Irish Lights	Ed	Editor
ILNW	Imray, Laurie, Norie and Wilson	RE	Regional Editor
		HKHO	United Kingdom Hydrographic Office

Disclaimer:

The Cruising Association, its officers, members, the editor and individual authors make no warranty as to the accuracy or reliability of any information contained in this publication and accept no liability for any loss, injury or damage occasioned to any person acting or refraining from action as a result of the use of such information or any decision made or action taken in reliance or partial reliance on it save that nothing contained in this publication in any way limits or excludes liability for negligence causing death or personal injury or for anything which may not legally be excluded or limited. No national hydrographic office or local harbour authority has verified the information in these corrections, and none accept liability for the accuracy of reproduction or any modifications made thereafter therefore this product should not be used for navigation.