



## RADIO FREQUENCY SAFETY ASSESSMENT

Prepared by: The Cruising Association Regulations and Technical Services (RATS) group  
Date: 20 October 2021

### General Information

Vessel Name:		Assessment by:	
Vessel Type:		Assessment date:	
Vessel MMSI		Signature:	

### RF Compliance Assessment

This assessment template has been produced by the Cruising Association Regulations and Technical Services (RATS) group to help CA members and other boat owners assess the radio equipment on the boat to ensure they are conforming to Ofcom's policy for limiting exposure of the public to electromagnetic emissions. This policy is effective from 18 November 2021 (except for HF/SSB radios for which the effective date is 18 May 2022 for 10-110MHz transmissions and 18 November 2022 for transmissions below 10MHz). This assessment is based on the EMF calculator provided by Ofcom [www.ofcom.org.uk/manage-your-licence/emf/calculator](http://www.ofcom.org.uk/manage-your-licence/emf/calculator).

To complete the assessment, fill in the *equipment model* field below with the RF equipment installed on your boat and follow the action required if any. Note that:

1. No assessment is needed when equipment is used in an emergency situation. Therefore, safety equipment such as EPIRBs, PLBs, etc that are used only in emergencies do not need assessment. In addition using your VHF radio for an extended time during an emergency would not invalidate your compliance.
2. Compliance is only required whilst in UK waters.
3. For other RF equipment, please refer to [www.ofcom.org.uk/manage-your-licence/emf/compliance-and-enforcement-guidance](http://www.ofcom.org.uk/manage-your-licence/emf/compliance-and-enforcement-guidance) to make your assessment.

An overview for marine users can be found at:

[www.ofcom.org.uk/data/assets/pdf\\_file/0026/220796/emf-licence-condition-what-you-need-to-know-ship-radio.pdf](http://www.ofcom.org.uk/data/assets/pdf_file/0026/220796/emf-licence-condition-what-you-need-to-know-ship-radio.pdf)

**Ofcom advises that you should turn off your VHF radio (or at least not transmit on your VHF radio) and radar once docked in a harbour to avoid any risks of non-compliance due to proximity to the public.**

Complete the table below with your equipment type and mark the assessment completed as appropriate. Print out a copy to keep with ship's papers.

Equipment Type	Equipment Model	Assessment	Installation location	Action required	Assessment completed
Handheld VHF radio		Transmit power is 6W so RF transmissions below 6.1W ERP threshold	N/A	No action required	
Maritime fixed VHF radio (no more than 25W transmit power) with standard 3db antenna		Transmission time is less than 12% during any 6-minute period (e.g. no more than 40 seconds in any 6-minute period)*	N/A	No action required	
		If transmission time is 50% of any 6-minute period, using the Ofcom Calculator, the minimum separation required is 2m.*  If transmission time is 25% of any 6-minute period, using the Ofcom calculator, the minimum separation required is 1.4m.*  <b>*Delete as appropriate</b>	At cross-trees, mast-head or more than 1.6m/1.1m* away from crew's heads	<b>Do not transmit when crew is climbing mast.</b>	
			Less than 1.6m/1.1m* from crew's heads	<b>Instruct crew to be at least 1.6m/1.1m* away from VHF antenna when transmitting. Install warning notice near VHF antenna. If possible, raise VHF antenna to be beyond 1.6m/1.1m*.</b>	
AIS Transponder		Transmit power is 2-5W so RF transmissions below 6.1W ERP threshold	N/A	No action required	
Radar		For normal motor/sailing yacht radars, the compliance distance is within the product casing of radome products and within the rotating diameter for non-radome products.	N/A	No action required	

Active Radar Reflector		Transmit power is about 1W EIRP.	N/A	No action required	
HF/SSB 150W Radio		For a 150W HF/SSB radio, transmitting at 10Mhz, using the Ofcom calculator, the minimum separation distance is 4.77m regardless of transmission time (because of the relatively long wavelength). <i>Note that Ofcom has not yet provided an assessment for transmissions below 10MHz.</i>	Backstay	<b>Instruct crew to be at least 4.77m away from any point of antenna when transmitting.</b> <i>Note compliance is required by 18 May 2022 for transmissions in the range 10-110MHz and by 18 November 2022 for transmissions below 10Mhz.</i>	
<i>Other:</i>					

The Regulatory & Technical Services group (RATS) is an executive committee of the Cruising Association (CA) made up of CA volunteers. RATS gives advice and assistance to CA members and others on a voluntary basis but this is subject to the following Disclaimer and should not be regarded as a substitute for appropriate professional advice.

**Disclaimer: Any advice has been prepared voluntarily by the Cruising Association, its members and others and they and it have tried to ensure that the contents are accurate. However, the Cruising Association, its employees, contributors and relevant members shall not be liable for any loss, damage or inconvenience of any kind howsoever arising in connection with the use of and/or reliance on such advice, save to the extent required by applicable law.**